Overview of Brockport Physical Fitness Test

November 9, 2019

Slides Provided by: Cathy Houston-Wilson, Ph.D. The College at Brockport chouston@Brockport.edu



Brockport Physical Fitness Test

- Developed by Dr. Joseph Winnick and Dr. Francis Short from the College at Brockport
- Assesses Health-Related Fitness
 - Aerobic Capacity, Body Composition, Musculoskeletal Functioning
 - Muscular Strength, Muscular Endurance, Flexibility & Range of Motion

Brockport Physical Fitness Test

- Focuses on both Physical Fitness and Functional Fitness
 - Functional Fitness refers to the ability to meet the demands of daily living
- Uses Criterion-Referenced Standards that either align with FitnessGram or have Specific Standards

Target Populations

Students Ages 10-17 with the following disabilities:

- Cerebral Palsy
- Congenital Anomalies and Amputations
- Intellectual Disability
- Spinal Cord Injuries
- Visual Impairments



Strategies for Inclusion

Including Students with Disabilities in Fitness Testing and Fitness Education

- ✓ Know and understand the type of disability the student has
- ✓ Review medical records and the IEP
- ✓ Know contraindications (things you should not do) that could cause harm to the student

✓ Consult with others who know the student well (classroom teachers, paraprofessionals, former PE teachers) to learn as much as possible about the student and his or her abilities

- ✓ Provide incentives to motivate the student to participate
- ✓ Know Communication Methods
- Be sure student fully comprehends what is being asked
- ✓ Use picture cards and demonstrations as appropriate



- ✓ Develop Rapport
- ✓ Take Time
- ✓ Break Tasks Down
- ✓ Use Lead-Ups
- ✓ Practice
- ✓ Create natural systems of peer interaction and support (small groups, task sheets, partner work) to aid in on-task behavior



- ✓ Modify Frequency
 - Reduce Repetitions
- ✓ Modify Intensity
 - Slow down the pace;
 Incorporate rest breaks

- ✓ Modify Time
 - Reduce Time on Task
- ✓ Modify Distance
- ✓ Monitor and Acknowledge Improvements

Other Uses of Fitness Testing Data

- Data generated can be used to determine Present Level of Performance (PLP)
- •Items in which standards have not been met are identified as areas of need
- Goals and Objectives are created based on areas of need to enhance the personal fitness and functional capacity of the student

Other Uses of Fitness Testing Data

- These goals can be incorporated into the student's IEP
- Appropriate Activities to promote health-related fitness, such as those found in Physical Best can be used to meet stated goals and objectives

Fitness Profile

- A Fitness Profile is developed based on the student's disability
- There are recommended and optional test items for each disability
- Instructor selects test item based on individual attributes

Aerobic Capacity	Body Composition	Strength & Endurance	Flexibility & Range of Motion
*PACER (15 & 20 meter) *One Mile Walk/Run Target Aerobic Movement Test	*Skinfolds *Body Mass Index	**Reverse Curl Bench Press **Curl Up Modified Curl Up Dumbbell Press Extended Arm Hang **Flexed Arm Hang Dominant Grip Strength Isometric Push Up **Pull-Up **Modified Pull-Up **Push Up 40 meter push/walk Reverse Curl Seated Push Up *Trunk Lift Wheelchair Ramp Test	Test *Back-saver Sit & Reach *Shoulder Stretch Modified Thomas Test Target Stretch Test

Time for Some Physical Fitness Testing

GRID

ID – Intellectual Disability
VI- Visual Impairment
CP – Cerebral Palsy
SCI – Spinal Cord Injury
CAA – Congenital Anomaly or Amputation



PACER (15-20 meter) – ID, VI


- ✓ Use tethers, guide, buddy, encouragement
- ✓ Line up behind the start line.
- ✓ On start command, run to the opposite line before you hear the beep.
- ✓ At the sound of the beep, run back to the start line.
- ✓ Keep running until you have missed 2 beeps or your teacher stops you.



Target Aerobic Movement Test - ID, VI, SCI, CP, CAA



- Measures the ability of the student to exercise at 70-85% of their maximal predicted HR (140-180 BPM) for 15 minutes
- Recommended activities include running/jogging, dancing, biking, arm ergometry...
- Tester checks HR every minute
- If student fall below THR they have
 1 minute to return or the test is over
- This is a pass/fail test





Modified Curl-Up - ID

- Lie on back with knees bent, extending legs as far as possible with feet flat on floor, slightly apart.
- Arms are placed on thigh.
- Curl-up and slide fingers up the thigh to the knee in rhythm with cadence (1 every 3 seconds), keeping heels on the floor.
- Back of head should touch the mat on each repetition.
- Continue assessment until student cannot maintain cadence, second mistake, or complete 75 curl-ups.



Isometric Push-Up – ID (10-12)

- Student assumes a push-up position and attempts to hold the position steady
- Test ends when student can no longer hold position

for as long as 40 seconds





Reverse Curl - SCI



- Using a 1-lb dumbbell the student raises and lowers dumbbell from the thigh to a flexed arm position and holding in that position for 2 seconds
- Passing constitutes completing one reverse curl





Back-Saver Sit and Reach — ID, VI, CAA

- Remove shoes.
- Student places one foot against the base of the box, other leg is bent.
- Arms straight, hands on top of each other, fingers even, palms down.
- Reach forward with both hands even, back straight, and head up. Repeat 4 times and hold the position of the fourth reach for at least 1 second.
- Repeat with the other leg.



Modified Apley - CP, SCI. CAA



- Student attempts to reach back with one hand and touch the opposite side of the scapula.
- If successful the student scores a 3
- If the student cannot touch the scapula the student touches the top of the head.
- If successful the student scores a 2
- If the student cannot touch the head the student touches the mouth.
- If successful the student scores a 1

Modified Apley








1 point 2 points 3 points

Bench Press – ID, SCI, CAA



- Student lies supine on the bench, knees bent, feet on the floor
- Student grasps bar with hands shoulder width apart and lifts and lowers 35 lbs.
- Score number of lifts and lowers the student can do independently
- Repetitions should be completed one every
 3-4 seconds
- Max reps for males is 50 & females is 35



Dumbbell Press – CP. SCI, CAA



- From a sitting position (wheelchair or chair) the student grasps the 1-lb dumbbell with one hand and presses up and down in a repetitive motion
- Score number of lifts and lowers the student can do independently
- Repetitions should be completed one every 3-4 seconds
- Max reps is 50





Extended Arm Hang – ID

- Using an overhand grip, student grips bar and hangs from the bar
- Student maintains a fully extended position
- Score number of seconds student can maintain the position
- Max time is 40 seconds



Flexed Arm Hang – ID, VI



- Using an overhand grip, student grips bar and hangs from the bar
- Student maintains a flexed position with arms bent and chin slightly over the bar
- Score number of seconds student can maintain the position
- Max time is 40 seconds



Seated Push-Up - CP, SCI, CAA

1.

- Student attempts to hold a seated push-up position for 20 seconds
- Can use push-up blocks or the arm rests of a wheelchair
- Student raises so that the buttocks is off the surface and arms are extended
- Score total number of seconds held up to 20 seconds




40 Meter Push/Walk - CP

- Student walks or pushes wheelchair a distance of 40 meters
- Students should not overexert themselves
- Score based on students ability to cover the distance in 60 seconds or less



Wheelchair Ramp Test - CP



- Student pushes self up the ramp one time
- Have a spotter behind the wheelchair
- Multiple trials are permitted to cover 15 feet or reach the top

Dominant Grip Strength – ID, CP, SCI, CAA



- Using a hand grip dynamometer student squeezes
- 3 trials are given, record each trial
- Middle score is recorded
- Allow 30 seconds between each trial

Brockport Physical Fitness Test Manual 2nd Edition

See Page 25
Summary of Recommended and
Optional Test Items with Available
Standards

Physical Fitness Profile Sheet

Name: Date:
Gender: M F Age: Disability:
Disability classification:
Physical fitness profile: Considering the health-related needs of this young person, construct a profile by placing check marks beside the statements that are most relevant to the individual's fitness needs. Then select specific test items and standards for measurement and assessment.
Aerobic Functioning
Aerobic Capacity Attain levels of aerobic capacity consistent with positive physiological health. Aerobic Behavior Attain levels of aerobic behavior consistent with positive functional health.
Body Composition
Percent Body Fat Maintain levels of percent body fat consistent with positive physiological health.
Body Mass Index
Maintain a weight that is appropriate for height.

Musculoskeletal Functioning

Strength and Endurance . Acquire or maintain functional levels of upper-body strength and endurance consistent with independent living: (a) ability to grasp and lift a light weight, (b) ability to lift and transfer the body from a wheelchair, and/or (c) ability to attain functional mobility. Acquire or maintain levels of upper-body strength and endurance for participation in physical activities. Acquire or maintain levels of trunk-extension strength, endurance, and flexibility to reduce the risk of developing lower-back pain. Acquire or maintain levels of abdominal strength and endurance to reduce the risk of developing lower-back pain and to participate in physical activities. Flexibility or Range of Motion Acquire or maintain at least functional range of motion in various joints. Acquire or maintain functional levels or optimal levels of flexibility in one or more of the following body regions: shoulders, hips, hamstrings.


From J. Winnick and F. Short, 2014, Brockport physical fitness test manual: A health-related assessment for youngsters with disabilities (Champaign, IL: Human Kinetics).

Data Entry Form

This form is a quick and easy way to record student information and develop an appropriate fitness test for students. All possible tests from the Brockport Physical Fitness Test are listed. Simply fill in data for the tests you have a student perform. You can then use this record when completing an individualized Brockport Physical Fitness Test form for analysis of each student's results.

Student name:	Gender:MaleFemale
ID No.:	_IEP (yes or no):Grade (if applicable):
Height (feet and inches):	Weight: Month and year:
Classification (check one)	
general (without disability) intellectual spinal cord injury cerebral p	
Subclassification (check subclassification for test item selection and for reporting	
Visual (check one)	Spinal cord injury (check one)
runs with assistance	low-level quadriplegia (LLQ)
runs without assistance	paraplegia: wheelchair (PW)
	paraplegia: ambulatory (PA)
Cerebral Palsy (check one)	.C4
Congenital Anomaly (check one) one arm only two arms only o	ne leg onlytwo legs only
one arm, one leg (same side) one arm	, one leg (opposite sides)

Scores



Mile: run/walk time (min/sec)

_____ 20 m (laps)

_ 15 m (laps)

TAMT (P/F)

II. Body composition

Height (feet and inches)

_____Weight (lbs.)

Percent body fat (%)

Triceps (mm)

_____ Triceps + subscapular (mm)

_____ Triceps + calf (mm)

_____BMI

III. Musculoskeletal Functioning

A. Strength and Endurance

Reverse curl (#)
.40 m push/walk (P/F)
Ramp test (feet)
Push-ups (#)
Seated push-ups (sec.)
Pull-ups (#)
 Modified pull-ups (#)
 Dumbbell press (#)
 Bench press (#)
 Grip strength (kg)
Isometric push-ups (sec.)
Extended-arm hang (sec.)
Flexed-arm hang (sec.)
Curl-ups (#)
Modified curl-ups (#)

B. Flexibility or Range of Motion Trunk lift (in.) Shoulder stretch, right (P/F) Shoulder stretch, left (P/F) Back-saver, right (in.) Back-saver, left (in.) Modified Thomas test (0-3) Modified Apley test (0-3) Target stretch test (0-2)

Visual Impairment Data Entry Form

TAMT Body Composition Test item Percent body fat Sum of triceps and calf skinfolds			Adapted Fitness Zone (if applicable)	Weight: Healthy Fitness Zone (If applicable)
Aerobic Functioning Test item PACER 15m or 20m (10-17 yr) One-mile run/walk (15-17 yr) TAMT Body Composition Test item Percent body fat Sum of triceps and calf skinfolds	Units of measure # of laps //o_max score minsec //o_max score		Adapted Fitness Zone (If applicable)	Healthy Fitness Zone (if applicable)
Aerobic Functioning Test item PACER 15m or 20m (10-17 yr) One-mile run/walk (15-17 yr) TAMT Body Composition Test item Percent body fat Sum of triceps and calf skinfolds	Units of measure # of laps //o_max score minsec //o_max score		Adapted Fitness Zone (if applicable)	Healthy Fitness Zone (If applicable)
Test item PACER 15m or 20m (10-17 yr) One-mile run/walk (15-17 yr) TAMT Body Composition Test item Percent body fat Sum of triceps and calf skinfolds	# of laps /O _s max score minusec /O _s max score	Test scores	Adapted Fitness Zone (if applicable)	Healthy Fitness Zone (if applicable)
PACER 15m or 20m (10-17 yr) One-mile run/walk (15-17 yr) TAMT Body Composition Test Item Percent body fat Sum of triceps and calf skinfolds	# of laps /O _s max score minusec /O _s max score	Test scores	Adapted Fitness Zone (if applicable)	Healthy Fitness Zone (if applicable)
PACER 15m or 20m (10-17 yr) One-mile run/walk (15-17 yr) TAMT Body Composition Test Item Percent body fat Sum of triceps and calf skinfolds	# of laps O _s max score mincsec O _s max score	Test scores	(if applicable)	(if applicable)
One-mile run/walk (15-17 yr) TAMT Body Composition Test Item Percent body fat Sum of triceps and calf skinfolds	M ₂ max score min:sec M ₂ max score			
TAMT Body Composition Test item Percent body fat Sum of triceps and calf skinfolds	mircsec /O ₂ max score			
TAMT Body Composition Test Item Percent body fat Sum of triceps and calf skinfolds	O ₂ max score			1
Body Composition Test Item Percent body fat Sum of triceps and calf skinfolds	-			
Body Composition Test Item Percent body fat Sum of triceps and calf skinfolds	min.			
Test Item Percent body fat Sum of triceps and calf skinfolds				
Test Item Percent body fat Sum of triceps and calf skinfolds				
Percent body fat Sum of triceps and calf skinfolds				Healthy Fitness
Sum of triceps and calf skinfolds	Units of measure	Test scores	Adapted Fitness Zone (if applicable)	Zone (if applicable)
	mm			
	(mm)			
	and/or			
	% body fat			
	BMI			-
Body mass index	ВМІ		l	
Musculoskeletal Functioni	na			
				Healthy Fitness Zone
Test item	Units of measure	Test scores	Adapted Fitness Zone (if applicable)	Zone (if applicable)
Curl-up	*	1001000100	(паррисско)	(iii oppiiiouoio)
Trunk lift	in.			
Push-up				
Pull-up				1
Modified pull-up				
Flexed-arm hang	sec.			
Back-saver sit-and-reach, right	in.			
Back-saver sit-and-reach, left	in.			
Shoulder stretch, right	P/F			
Shoulder stretch, left	P/F			
nterpretation:				
veeds:				

From J. Winnick and F. Short, 2015, Brockport physical fitness test manual: A health-related assessment for youngsters with disabilities (Champaign, IL: Human Kinetics).

